



|                               |  |
|-------------------------------|--|
| Part No                       | 90PT0391-M001Z0  |
| Model Name                    | E1600WKAT-BD008X   |
| EAN Code                      | 4711081733713  |
| UPC Code                      | 195553733717   |
| ID Color                      | Black  |
| Panel Size                    | 15.6-inch  |
| Resolution                    | HD (1366 x 768) 16:9   |
| Panel Tech                    | LCD  |
| Brightness                    | 220nits  |
| NTSC %                        | NTSC: 45%  |
| Screen-to-body ratio          | 80%  |
| IPS-level                     | TN   |
| Glare                         | Anti-glare display   |
| Touch Panel                   | Touch screen   |
| On board processor            | Intel® Celeron® N4500 Processor 1.1 GHz (4M Cache, up to 2.80 GHz, 2 cores)            |
| Chipset                       | N/A  |
| VRAM                          | N/A  |
| Integrated GPU                | Intel® UHD Graphics  |
| DIMM Memory                   | 8GB DDR4 SO-DIMM   |
| Storage                       | 256GB M.2 NVMe™ PCIe® 3.0 SSD<br>Without HDD   |
| Easy Upgrade                  | N/A  |
| Expansion Slot(includes used) | 1x M.2 2280 SSD slot<br>1x DDR4 SO-DIMM slot   |
| Wireless                      | Wi-Fi 5(802.11ac) (Dual band) 2*2 + Bluetooth 4.2                                      |
| LAN                           | Realtek RTL8111H 10/100/1000 GbE   |
| Front-facing camera           | 720p HD camera   |
| Harman/Kardon                 | N/A  |
| Audio                         | Built-in speaker   |
| Operating System              | Windows 11 Pro - ASUS recommends Windows 11 Pro for business                           |
| Office                        | 1-month trial for new Microsoft 365 customers. Credit card required.                   |
| Voice control                 | with Alexa voice-recognition support   |
| AC Adapter                    | ø5.5, 65W AC Adapter, Output: 19V DC, 3.42A, 65W, Input: 100~240V AC 50/60Hz universal |
| Side I/O Port                 | 1x 2-in-1 card reader SD / MMC<br>1x 3.5mm combo audio jack<br>2x USB 3.2 Gen 1 Type-A |

|                         |   |
|-------------------------|---|
| Back I/O Port           | <b>1x DC-in</b><br><b>1x Kensington lock</b><br><b>2x COM port</b><br><b>1x RJ45 Gigabit Ethernet</b><br><b>1x HDMI out 1.4</b><br><b>1x USB 3.2 Gen 2 Type-C</b><br><b>2x USB 3.2 Gen 1 Type-A</b> |
| Dimension (WxHxD)       | <b>36.6 x 45.3 x 2.5 ~ 10.2 cm</b>  |
| Weight                  | <b>02.22 kg</b><br><b>without UPS</b>   |
| Weight_2                | <b>02.41 kg</b><br><b>with UPS</b>  |
| Security                | <b>BIOS Booting User Password Protection</b><br><b>HDD User Password Protection and Security</b><br><b>Kensington Security Slot™</b>  |
| Trusted Platform Module | <b>Trusted Platform Module (Firmware TPM)</b>   |
| Built-in Apps           | <b>MyASUS</b>   |
| My ASUS features        | <b>Splendid</b><br><b>Tru2Life</b>  |
| Included in the box     | <b>Wired grey keyboard</b><br><b>Wired optical mouse</b>  |

