

Delock USB 10 Gbps USB Type-C[™] Hub with 2 x USB Type-A and 2 x USB Type-C[™] with 35 cm connection cable

Description

The USB hub by Delock can be connected via USB Type-C[™] interface to a PC or laptop. It has **two USB Type-A** connectors as well as **two USB Type-C[™]** connectors. Different USB devices such as docking stations, card reader, external enclosure etc. can be connected.

Supports USB 10 Gbps

A maximum data transfer rate of up to 10 Gbps can be reached.

Small sturdy helper

Due to its **small dimensions and its sturdy housing**, this Delock Hub is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.

Specification

- Connectors:
 - 1 x USB 10 Gbps USB Type-C[™] male
 - 2 x USB 10 Gbps Type-A female
 - 2 x USB 10 Gbps USB Type-C[™] female
- Chipset: Genesys Logic GL3590
- Data transfer rate up to 10 Gbps
- Plug & Play
- Housing material: aluminium
- Colour: grey
- Cable length without connectors: ca. 35 cm
- Dimensions (LxWxH): ca. 103 x 30 x 11 mm

System requirements

Chrome OS



Item no. 64230

EAN: 4043619642304 Country of origin: China Package: Retail Box

DATASHEET



- Linux Kernel 5.15 or above
- Mac OS 12.4 or above
- Windows 8.1/8.1-64/10/10-64/11
- Device with a free USB Type-C[™] port or with a free Thunderbolt[™] 3 port or
- Device with a free USB4[™] port or with a free Thunderbolt[™] 4 port

Package content

- USB hub
- User manual

Images





General

Function:	Plug & Play
Supported operating system:	Chrome OS Windows 10 32-bit Windows 10 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 11 Mac OS 12.4 oder höher Linux Kernel 5.15 or above

Interface

Connector 1:	1 x USB 10 Gbps USB Type-C™ male
Connector 2:	2 x USB 10 Gbps Type-A female
connector 3:	2 x USB 10 Gbps USB Type-C™ female

Technical characteristics

Chipset:	Genesys Logic GL3590
Data transfer rate:	10 Gbps

Physical characteristics

Length:	103 mm
Width:	30 mm
Height:	11 mm
Colour:	grey
Cable length without connectors:	35 cm