

Delock Card Reader for XQD / SD / Micro SD memory cards + USB Type-A port

Description

The card reader by Delock can be used for reading and writing **XQD, SD and Micro SD memory cards**. The card reader can be connected to a PC or laptop via the **USB Type-A interface**.

Integrated USB port

Due to the integrated USB Type-A connector, USB devices can still be used when the card reader is connected to the PC.

Small sturdy helper

Due to its **small dimensions and its sturdy housing**, this Delock card reader is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.



25 cm

Specification

- Connectors:
 - 1 x SuperSpeed USB (USB 3.2 Gen 1) Type-A male >
 - 1 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female
 - 1 x XQD 2.0 slot
 - 1 x SD slot
 - 1 x Micro SD slot
- Chipset: VIA VL813, Genesys Logic GL3224
- Data transfer rate up to:
 - SuperSpeed USB 5 Gbps,
 - Hi-Speed 480 Mbps,
 - Full-Speed 12 Mbps,
 - Low-Speed 1.5 Mbps
- The Card Reader supports following memory cards:
 - 1. Slot XQD**
For XQD memory cards based on USB
 - 2. Slot Secure Digital**
SD, SD3.0 UHS-I, SD4.0 UHS-II, SD High Capacity (SDHC), SD High Speed, SDXC, Turbo-SD, Turbo Mini SD*, Mini SD*, MMC-I, MMC-II, MMC plus, MMC Dual Voltage, RS-MMC*, RS-MMC Dual Voltage*, RS-MMC4.0*
 - 3. Slot Micro SD**
Micro SD, Micro SD3.0 UHS-I, Micro SD4.0 UHS-II, Micro SDHC, Micro SDXC, T-Flash, MMC Mobile, MMC micro
- Several memory cards can be used at the same time
- Data can be exchanged directly between connected memory cards
- Bootable
- 1 x LED indicator
- Housing material: aluminium
- Dimensions (LxWxH): ca. 73 x 52 x 12 mm
- Cable length without connectors: ca. 25 cm
- Plug & Play

System requirements

- Chrome OS 87.0 or above
- Linux Kernel 5.4 or above
- Windows 8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

Package content

- Card Reader + USB port
- User manual

Item no. 91756

EAN: 4043619917563

Country of origin: China

Package: Retail Box

Images



General	
Function:	bootable
Supported operating system:	Linux Kernel 5.4 or above Windows 10 32-bit Windows 10 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Chrome OS 87.0 or above
Interface	
Output:	1 x SD slot 1 x Micro SD slot 1 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female 1 x XQD 2.0 slot
Input:	1 x SuperSpeed USB (USB 3.2 Gen 1) Type-A male
Physical characteristics	
Housing material:	Aluminium
Cable length:	25 cm
Length:	73 mm
Width:	52 mm
Height:	12 mm
Colour:	black