

Full keyboard. Fully mobile. Fully your type.

Be anywhere and still be ready to go with the HP 460 Multi-Device Bluetooth Keyboard. It offers full-featured functionality with easy-to-pack-up portability to go wherever life takes you. With versatility to pair multiple devices combined with functional design, this true multi-device keyboard is built to help you stay moving, working, playing, and connected.



*Product image may differ from actual product



Portability meets productivity

Get the most out of your day, every day. This adjustable, spill-resistant Bluetooth® keyboard fits the full keyboard experience into a compact, on-the-go design that saves space in your bag or anywhere you set up. Add utility and comfort to whatever you're doing with a full numpad, directional keys, and concave keycaps that make typing quiet and comfortable.



Uncomplicated connectivity

Life is better when you have options. Seamless Bluetooth® functionality gives you the freedom to stay continuously and confidently connected anywhere you are. Connected to a desktop, your tablet, or even a mobile device, this multidevice Bluetooth keyboard delivers connectivity across multiple operating systems. With Swift Pair, quickly switch between up to three devices with the press of a button.



Create your new favorite key

Go further with more flexibility. Whether for office tasks or game play, program the F1–F12 keys¹ to act as custom shortcuts, or automate difficult keystroke combinations to make all your moves in a fraction of the time. HP Accessory Center software makes it easy to set and change commands on the fly.



Built for a better tomorrow

The better choice for a brighter tomorrow, the HP 460 Multi-Device Bluetooth Keyboard contains 50% post-consumer recycled materials². With FSC certified, plastic-free packaging, you can be confident knowing you have a Bluetooth® keyboard that is helping protect our shared future while doing amazing things for you.

Multi-OS, multi-device connectivity

Pair and switch between up to three devices over Bluetooth®.

Slim design with full numpad

Get all the functionality of a full keyboard, including a numpad, in a commute-friendly, compact design.

Programmable buttons

Your workflow, your way. A full suite of 12 programmable buttons allows you to customize your keyboard to your exact needs.

Battery powered

Two AAA batteries provide up to 24 months of productivity. No charging cable required.³







Product number	7N788AA
UPC number	(ABB) 197192766934; (UUZ) 197192767405
Connection type	Bluetooth®
Bluetooth version	5.3
Wireless range	Up to 10 m in open area; ¹
Keyboard type	Compact with numpad; 2-zone layout
Keys structure	Plunger; Low profile key travel; 2.5 mm
Battery description	2 x AAA
Battery life	Up to 24 months ²
Programable keys	Up to 12 ³
Special keys	Mic mute; Emoji; Language switch ³
Keyboard features	Multi-device; Spill resistant; Swift pair; Tilt adjustable; OS Auto-Detection
LED indicator	Caps lock; Num lock; Battery indicator; Channel indicator
Keys lifecycle	10 million keystrokes for all the keys
Security	AES 128 bits encryption; Security Mode 1; Security Level 4
Product color	Jack black
Management software	HP Accessory Center Software ³
Compatible operating systems	Windows 11; Windows 10; macOS; ChromeOS ⁵
System Requirements, Minimum	Bluetooth®
System Requirements, Minimum Warranty	Bluetooth® 2 years limited warranty ⁶
Warranty	2 years limited warranty ⁶
Warranty Certifications and compliances	2 years limited warranty ⁶ CE; FCC; IC; RCM; WPC; SDPP; Telec/VCC; NTC; IMDA; BSMI; NCC; SRRC; SIRIM; TRA; EAC; ICASA; UKCA; KCC; UL; TUV; IFETEL; BIS; ANATEL; SUBTEL; CONATEL; Rohs; UkrSEPRO; ICTqatar; NOM; RAMATEL Wireless keyboard 2 x AAA batteries Quick start guide Warranty Card
Warranty Certifications and compliances What's in the box	2 years limited warranty ⁶ CE; FCC; IC; RCM; WPC; SDPP; Telec/VCC!; NTC; IMDA; BSMI; NCC; SRRC; SIRIM; TRA; EAC; ICASA; UKCA; KCC; UL; TUV; IFETEL; BIS; ANATEL; SUBTEL; CONATEL; Rohs; UkrSEPRO; iCTqatar; NOM; RAMATEL Wireless keyboard 2 x AAA batteries Quick start guide Warranty Card R.E.D. Card (EMEA only)
Warranty Certifications and compliances What's in the box Country of origin	2 years limited warranty ⁶ CE; FCC; IC; RCM; WPC; SDPP; Telec/VCC; NTC; IMDA; BSMI; NCC; SRRC; SIRIM; TRA; EAC; ICASA; UKCA; KCC; UL; TUV; IFETEL; BIS; ANATEL; SUBTEL; CONATEL; Rohs; UkrSEPRO; iCTqatar; NOM; RAMATEL Wireless keyboard 2 x AAA batteries Quick start guide Warranty card R.E.D. Card (EMEA only) Product of China
Warranty Certifications and compliances What's in the box Country of origin Dimensions (W x D x H)	2 years limited warranty ⁶ CE; FCC; IC; RCM; WPC; SDPPi; Telec/VCCi; NTC; IMDA; BSMI; NCC; SRRC; SIRIM; TRA; EAC; ICASA; UKCA; KCC; UL; TUV; IFETEL; BIS; ANATEL; SUBTEL; CONATEL; Rohs; UkrSEPRO; iCTqatar; NOM; RAMATEL Wireless keyboard 2 x AAA batteries Quick start guide Warranty card R.E.D. Card (EMEA only) Product of China 376 x 153 x 19 mm
Warranty Certifications and compliances What's in the box Country of origin Dimensions (W x D x H) Weight	2 years limited warranty ⁶ CE; FCC; IC; RCM; WPC; SDPPI; Telec/VCCI; NTC; IMDA; BSMI; NCC; SRRC; SIRIM; TRA; EAC; ICASA; UKCA; KCC; UL; TUV; IFETEL; BIS; ANATEL; SUBTEL; CONATEL; Rohs; UkrSEPRO; ICTqatar; NOM; RAMATEL Wireless keyboard 2 x AAA batteries Quick start guide Warranty card RED. Card (EMEA only) Product of China 376 x 153 x 19 mm 660 g
Warranty Certifications and compliances What's in the box Country of origin Dimensions (W x D x H) Weight Package dimensions (W x D x H)	2 years limited warranty ⁶ CE; FCC; IC; RCM; WPC; SDPPI; Telec/VCCI; NTC; IMDA; BSMI; NCC; SRRC; SIRIM; TRA; EAC; ICASA; UKCA; KCC; UL; TUV; IFETEL; BIS; ANATEL; SUBTEL; CONATEL; Rohs; UkrSEPRO; ICTqatar; NOM; RAMATEL Wireless keyboard 2 x AAA batteries Quick start guide Warranty card R.E.D. Card (EMEA only) Product of China 376 x 153 x 19 mm 660 g 426 x 162.7 x 29.5 mm
Warranty Certifications and compliances What's in the box Country of origin Dimensions (W x D x H) Weight Package dimensions (W x D x H) Package weight	2 years limited warranty ⁶ CE; FCC; IC; RCM; WPC; SDPP; Telec/VCC; NTC; IMDA; BSMI; NCC; SRRC; SIRIM; TRA; EAC; ICASA; UKCA; KCC; UL; TUV; IFETEL; BIS; ANATEL; SUBTEL; CONATEL; Rohs; UkrSEPRO; ICTqatar; NOM; RAMATEL Wireless keyboard 2 x AAA batteries Quick start quide Warranty card R.E.D. Card (EMEA only) Product of China 376 x 153 x 19 mm 660 g 426 x 162.7 x 29.5 mm
Warranty Certifications and compliances What's in the box Country of origin Dimensions (W x D x H) Weight Package dimensions (W x D x H) Package weight Master carton quantity	2 years limited warranty ⁶ CE; FCC; IC; RCM; WPC; SDPPi; Telec/VCCi; NTC; IMDA; BSMI; NCC; SRRC; SIRIM; TRA; EAC; ICASA; UKCA; KCC; UL; TUV; IFETEL; BIS; ANATEL; SUBTEL; CONATEL; Rohs; UkrSEPRO; ICTqatar; NOM; RAMATEL Wireless keyboard 2 x AAA batteries Quick start quide Warranty, card R.E.D. Card (EMEA only) Product of China 376 x 153 x 19 mm 660 g 426 x 162.7 x 29.5 mm 840 g 10
Warranty Certifications and compliances What's in the box Country of origin Dimensions (W x D x H) Weight Package dimensions (W x D x H) Package weight Master carton quantity Master carton dimensions (W x D x H)	2 years limited warranty ⁶ CE; FCC; IC; RCM; WPC; SDPPi; Telec/VCCI; NTC; IMDA; BSMI; NCC; SRRC; SIRIM; TRA; EAC; ICASA; UKCA; KCC; UL; TUV; IFETEL; BIS; ANATEL; SUBTEL; CONATEL; Rohs; UkrSEPRO; ICTqatar; NOM; RAMATEL Wireless keyboard 2 x AAA batteries Quick start quide Warranty, card R.E.D. Card (EMEA only) Product of China 376 x 153 x 19 mm 660 g 426 x 162.7 x 29.5 mm 840 g 10 436 x 172.7 x 305 mm
Warranty Certifications and compliances What's in the box Country of origin Dimensions (W x D x H) Weight Package dimensions (W x D x H) Package weight Master carton quantity Master carton dimensions (W x D x H) Master carton weight	2 years limited warranty ⁶ CE; FCC; IC; RCM; WPC; SDPP; Telec/VCCI; NTC; IMDA; BSMI; NCC; SRRC; SIRIM; TRA; EAC; ICASA; UKCA; KCC; UL; TUV; IFETEL; BIS; ANATEL; SUBTEL; CONATEL; Rohs; UkrSEPRO; ICTqatar; NOM; RAMATEL Wireless keyboard 2 x ARA batteries Quick start quide Warranty card R.E.D. Card (EMEA only) Product of China 376 x 153 x 19 mm 660 g 426 x 162.7 x 29.5 mm 840 g 10 436 x 172.7 x 305 mm 8.94 kg
Warranty Certifications and compliances What's in the box Country of origin Dimensions (W x D x H) Weight Package dimensions (W x D x H) Package weight Master carton quantity Master carton dimensions (W x D x H) Master carton weight Carton per layer	2 years limited warranty ⁶ CE; FCC; IC; RCM; WPC; SDPP; Telec/VCCI; NTC; IMDA; BSMI; NCC; SRRC; SIRIM; TRA; EAC; ICASA; UKCA; KCC; UL; TUV; IFETEL; BIS; ANATEL; SUBTEL; CONATEL; Rohs; UkrSEPRO; iCTqatar; NOM; RAMATEL Wireless keyboard 2 x AAA batteries Quick start guide Warranty card R.E.D. Card (EMEA only) Product of China 376 x 153 x 19 mm 660 g 426 x 162.7 x 29.5 mm 840 g 10 436 x 172.7 x 305 mm 8.94 kg
Warranty Certifications and compliances What's in the box Country of origin Dimensions (W x D x H) Weight Package dimensions (W x D x H) Package weight Master carton quantity Master carton dimensions (W x D x H) Master carton weight Carton per layer Pallet (layers)	2 years limited warranty ⁶ CE; FCC; IC; RCM; WPC; SDPP); Telec/VCC; NTC; IMDA; BSMI; NCC; SRRC; SIRIM; TRA; EAC; ICASA; UKCA; KCC; UL; TUV; IFETEL; BIS; ANATEL; SUBTEL; CONATEL; Rohs; UkrSEPRO; iCTqatar; NOM; RAMATEL Wireless keyboard 2 x AAA batteries Quick start guide Warranty card R.E.D. Card (EMEA only) Product of China 376 x 153 x 19 mm 660 g 426 x 162.7 x 29.5 mm 840 g 10 436 x 172.7 x 305 mm 8.94 kg 8
Warranty Certifications and compliances What's in the box Country of origin Dimensions (W x D x H) Weight Package dimensions (W x D x H) Package weight Master carton quantity Master carton dimensions (W x D x H) Master carton weight Carton per layer Pallet (layers) Carton per pallet	2 years limited warranty ⁶ CE; FCC; IC; RCM; WPC; SDPPI; Telec/VCC; NTC; IMDA; BSMI; NCC; SRRC; SIRIM; TRA; EAC; ICASA; UKCA; KCC; UL; TUV; IFETEL; BIS; ANATEL; SUBTEL; CONATEL; Rohs; Ukr SEPRO; ICTgatar; NOM; RAMATEL Wireless keyboard 2 x AAA batteries Quick start guide Warranty card R.E.D. Card (EMEA only) Product of China 376 x 153 x 19 mm 660 g 426 x 162.7 x 29.5 mm 840 g 10 436 x 172.7 x 305 mm 8.94 kg 8 3
Warranty Certifications and compliances What's in the box Country of origin Dimensions (W x D x H) Weight Package dimensions (W x D x H) Package weight Master carton quantity Master carton dimensions (W x D x H) Master carton weight Carton per layer Pallet (layers) Carton per pallet Products per layer	2 years limited warranty ⁶ CE; FCC; IC; RCM; WPC; SDPPI; Telec/VCC; NTC; IMDA; BSMI; NCC; SRRC; SIRIM; TRA; EAC; ICASA; UKCA; KCC; UL; TUV; IFETEL; BIS; ANATEL; SUBTEL; CONATEL; Rohs; UkrSEPRO; ICTqatar; NOM; RAMATEL Wireless keyboard 2 x AAA batteries Quick start guide Warranty card R.E.D. Card (EMEA only) Product of China 376 x 153 x 19 mm 660 g 426 x 162.7 x 29.5 mm 840 g 10 436 x 172.7 x 305 mm 8.94 kg 8 3 24

Messaging Footnotes

- ¹ Requires HP Accessory Center (HPAC) Software. HPAC available for free download in Microsoft Store or Apple Store.
- $^2\,\text{Recycled plastic content percentage is based on the definition set in the IEEE\,1680.1-2018\,\text{EPEAT}{}^{\tiny{\textcircled{\tiny{0}}}}\,\text{standard}.$
- ³ Actual battery life will vary with use and environmental conditions. The maximum capacity of the battery will naturally decrease with time and usage.

Technical Specifications Footnotes

- $^{\rm 1}$ Wireless range may very based on user environmental and computing conditions.
- ² Actual battery life will vary with use and environmental conditions. The maximum capacity of the battery will naturally decrease with time and usage.
 ³ Requires HP Accessory Center (HPAC) Software. HPAC available for free download in Microsoft Store or Apple Store.
- ⁴ Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT® standard.
 ⁵ MacOS, Chrome devices are compatible with limited features.
- 6 HP includes a one-year (two-year) limited warranty with online support available 24x7. Consult the HP Customer Support Center for details, or go to www.hp.com/go/orderdocuments. Internet access required and not included.

