HP LaserJet Pro MFP 3102fdw Printer

Get fast printing speeds, high-volume scanning, and easy management tools with LaserJet Pro.

This printer is built for powerful productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.





This printer uses dynamic security, which may be updated periodically by firmware updates. The printer is intended to be used solely with cartridges using an original HP chip. Cartridges using a non-HP chip may not function or may cease to function. More at: www.hp.com/learn/ds

Highlights

- Instant Ink for Laser available
- Fast print speed (33 ppm A4)
- High monthly duty cycle (50,000 pages)
- Automatic two-sided printing standard
- HP Smart app
- HP Wolf Pro security
- 250 sheet standard paper input cassette
- Dual-band WiFi[®], Bluetooth[®] LE, WiFi[®] Direct



Powerful productivity.¹

- Support your small workteams with this smart printer, designed for up to 7 users.
- Print more efficiently. Save time, paper, and costs with fast printing, scanning and auto twosided printing.
- Do more in fewer steps. Simple shortcuts allow your employees to complete common tasks with just a touch.
- Get productivity in the palm of your hand. Print, scan, and save time with Shortcuts from HP smart. $^{\rm 2}$

Seamless management.

- Centralise print management for your enterprise. HP Web Jetadmin makes it easy with its suite of features. $^{\rm 3}$
- Set up your printer quickly wherever work happens. Cloud connectivity makes it easy for your IT team.
- Access your printers from a single dashboard. Smart Admin guides you through setup and gives IT visibility. $^{\rm 4}$
- Avoid interruptions with Wi-Fi $^{\circ}$ that intelligently looks for the best connection to stay on-line 5

HP Wolf Pro Security.

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Set up and manage your printers from a single dashboard. Smart Admin makes the experience seamless. $^{\rm 4}$
- Centralise print management for your enterprise. HP Web Jetadmin makes it easy with its suite of features. $^{\rm 3}$
- Set configuration policies and validate settings universally with HP JetAdvantage Security Manager. $^{\rm 6}$

Hassle-free supplies management with Instant Ink.

- Enroll to save on Original HP Toner with Instant Ink. Get toner, delivery and recycling. 7,8,9
- Never run out of toner with Instant Ink for laser.¹⁰
- With Instant Ink, get toner automatically delivered to workers or offices all on one consolidated ${\rm bill.}^9$
- With Instant Ink, you get to select the right plans for each of your printers. Change or cancel at any time.¹¹

Product walkaround

HP Laser Jet Pro MFP 3102fdw Printer shown



1. Fast printing, up to 33 ppm, 250-sheet standard paper capacity

- 2. Built for the small workteams of up to 7 users
- 3. Pre-configured security settings
- 4. Automatic 2-sided printing
- 5. High-speed USB ports, built-in fast Ethernet
- 6. Cassette type input tray

Accessories, Supplies and Support

Supplies	W1390A HP 139A Black Original LaserJet Toner Cartridge (Average cartridge yields 1,500 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	W1390X HP 139X High Yield Black Original LaserJet Toner Cartridge (Average cartridge yields 4,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
Service and Support	UG207E 3 years Advanced Exchange (All EMEA countries Except Adriatic, Africa, CIS, EEM, Israel, Middle East, Russia, South Africa, Turkey) UG087E 3 years Next Business Day Exchange (available in Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Ireland, Italy, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Spain, Sweden, Switzerland, UK) UG290E 3 years Return to Depot (available in Adriatic, Africa, CIS, EEM, Israel, Middle East, Russia, South Africa, Turkey)

Technical specifications

Model	HP Laser Jet Pro MFP 3102fdw Printer
Productnumber	3G630F
Functions	Print, copy, scan, fax
Control panel	2.7°CGD; Touch Screen; 3 LED buttons (Back, Home, Info)
Print	
Print technology	Laser
Print speed ¹	Black(A4, normal): Up to 33 ppm; Black(A4, duplex): Up to 20 ipm
First page out ²	Black (A, Yeady): As fastas 7.0 sec; Black (A4, sleep): As fastas 8.7 sec
Print resolution	Black (best): Up to 1200 x 1200 dpi; Technology: 600dpi with Resolution Enhancement technology (RE1); ProRes 1200
Monthlydutycycle	Up to 50,000 pages A4; Recommended monthlypagevolume: 350 to 2500 pages
Printer smart software features	Automatic duplex, Easy ODEE, Scan Destinations, Smartsecurity, Print always work, Print anywhere
Standard printlanguages	PCL5; PCL6; P5; PCLm5; PDF; URF; PWG; PCLm
Fonts and typefaces	84 scalable TrueTypefonts
Printarea	Printmargins Top: 4,23 mm, Bottom: 4,23 mm, Left: 4,23 mm, Right: 4,23 mm; Maximum print area: 207 x 348 mm
Duplex printing	Automatic (standard)
Сору	
Copyspeed	Black(A4): Up to 33 cpm
Copier specifications	Number of Copies; Lighter/Darker; Enhancements; Binding Margin; Paper; Multi-Page Copy; Collation; Quality; Maximum number of copies: Up to 999 copies; Reduce/Enlarge: 25 to 400%
Scan	
Scan speed ³	Normal (A4): Up to 19 ppm (lobw), up to 8 ppm (color)
Scan file format Scanner specifications	JPG, TFF, XPS, PDF, PDF/A Scanner type ADF, flatbed; Scan technology. CIS; Scan input modes: HP Smart App; and user applications via Twain; Twain version: Version 2.1; Duplex ADF scanning: No; Scan size maximum (flatbed, ADF): 216 x
Recommended monthly scan	297 mm; Optical scan resolution : Up to 300 dpi(color and mono, ADF); Up to 1200 dpi(color and mono, flatbed)
volume	150 to 1500
Scannablearea	Maximum mediasize (flatbed): 216 x 297 mm ; Minimum mediasize (ADF): 148 x 210 mm Maximum mediasize (ADF): 216 x 356 mm
Bit dep th/Grey scale levels	24-bit/256
Fax	
Fax ⁴	Yes
Fax specifications	Fax memory: Up to 500 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 200 numbers
Processorspeed	800 MHz
Connectivity	
Standard	Hi-Speed USB device (compatible with USB 2.0 specifications); 10/100MbpsEthernet; Wireless 802.11b/g/n, Dual band 2.4GHz/SGHz; BLE.
Mobileprinting capability	HP Smart App; Apple AirPrint [®] ; Mopria [®] Certified; Wi-Fi [®] Direct Printing; HP ROAM For Business; Optional ROAM Queue Printing
Supported network protocols	TCP/IP: IPv4; IPv6; IP Direct Mode; LPD; SLP; Bonjour; WS-Discovery; BOOTP/DHCP/AutoIP; WINS; SNMP v1/z/3; and HTTP/HTTPS
Network cap abilities	10/100MbpsEthernet; Wireless 802.11b/g/n, Dual band 2.4GHz/5GHz.
Hard disk	no hard disk
Memory	Standard: 512 MB; Maximum: 512 MB
Memory Media hand ling	Standard: 512 MB; Maximum: 512 MB
Memory Mediahandling Numberofpapertrays	Standard: 512 MB; Maximum: 512 MB Standard: 1; Maximum: 1 Main Tray
Memory Media hand ling	Standard: 512 MB; Maximum: 512 MB Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards
Memory Media handling Number of paper trays	Standard: 512 MB; Maximum: 512 MB Standard: 1; Maximum: 1 Main Tray Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(J/S); B6(J/S); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15 cm; JapanesePostcard; Double Japan Postcard Rotated; JapaneseEnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC5; EnvelopeC6; EnvelopeDLADF; A4, LR, LGL
Memory Media handling Number of paper trays Media types	Standard: 512 MB; Maximum: 512 MB Standard: 1; Maximum: 1 Main Tray Paper (Cutsheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(JJS); B6(JJS); Oficio (216x340); 16K (195x270 mm); 16K (197x273 mm); L9x13
Memory Mediahandling Number of paper trays Media types Media size	Standard: 512 MB; Maximum: 512 MB Standard: 1; Maximum: 1 Main Tray Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(J/S); B6(J/S); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15 cm; JapanesePostcard; Double Japan Postcard Rotated; JapaneseEnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC5; EnvelopeC6; EnvelopeDLADF; A4, LR, LGL
Memory Mediahandling Number of paper trays Media types Media size Media handling	Standard: 512 MB; Maximum: 512 MB Standard: 1; Maximum: 1 Main Tray Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JI5); B6(JI5); Oficio (216x340); 16K (195 x270 mm); 16K (195 x270 mm); 16K (197 x273 mm); L9x13 cm; 10x15 cm; JapanesePostcard; Double Japan Postcard Rotated; JapaneseEnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC5; EnvelopeC6; EnvelopeDL ADF: A4; UR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets
Memory Media hand ing Number of paper trays Media types Media size Media hand ling Media weigh t	Standard: 512 MB; Maximum: 512 MB Standard: 1; Maximum: 1 Main Tray Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Wildth 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JI5); B6(JI5); Oficio (216x340); 16K (195x270 mm); 16K (195x270 mm); 16K (197x273 mm); L9x13 cm; 10x15cm; JapanesePostcard; Double Japan Postcard Rotated; JapaneseEnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeC5; EnvelopeC6; EnvelopeC6; EnvelopeDL ADF: A4; LI R; LGL Standard Input 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets
Memory Mediahanding Number of paper trays Media types Media size Mediahanding Media weight hput capacity	Standard: 512 MB; Maximum: 512 MB Standard: 1; Maximum: 1 Main Tray Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metrid): Width 76 to 216 mm; Length 127 to 356 mm Supported (metrid): A4, A5, A5-R, A6, B5(JI5); B6(JI5); 0ficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15 cm; JapanesePostcard; Double Japan Postcard Rotated; JapaneseEnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC6; EnvelopeC1, A4; LTR; LGL Standard input 1 main tray; 250 sheets or 10 envelopes Stand and output: 150 sheets output tray ADF: Standard, 50 sheets 60to 163 g/m ² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating	Standard: 512 MB; Maximum: 512 MB Standard: 1; Maximum: 1 Main Tray Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(J/S); B6(J/S); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; JapaneseEnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeCS; EnvelopeCS; EnvelopeCS; EnvelopeCS; EnvelopeCS; EnvelopeCD: ADF: A4; LTR; LGL Standard input 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets 60to 163 g/m ² Tray 11: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit of 64-bit; 2 GB availablehard disk space, htemet connection, Microsoft® Internet Explore or Edge. Apple® macOS v10. 15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 12 GB H0; htemet required; Linux/Formore Information, see https://developers.hp.com/hplinux-imaging-and-printing)
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems	Standard: 512 MB; Maximum: 512 MB Standard: 1; Maximum: 1 Main Tray Paper (Cutsheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(J/S); B6(J/S); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15cm; JapanesePostcard; Double/Japan Postcard Rotated; JapaneseEnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC5; EnvelopeC6; EnvelopeDLADF: A4; LTR; LGL Standard input 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets 60to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet toon netion, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required; Linux/Form ore information, see https:///developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Windows: Microsoft® Microsoft® Internet Explorer or Edge. Windows: Microsoft® Internet Explorer or Edge.
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Standard: 512 MB; Maximum: 512 MB Standard: 1: Maximum: 1 Main Tray Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(J5); B6(J5); B6(J5)
Memory Media handling Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Standard: 512 MB; Maximum: 512 MB Standard: 1; Maximum: 1 Main Tray Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Wildth 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(J/5); B6(J/S); Oficio (216x340); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15cm; JapanesePostcard, Double Japan Postcard Rolated; Japanese EnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC5; EnvelopeC6; EnvelopeC6; EnvelopeD1 ADF: A4, LTR; L6L Standard: Input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets 60 to 163 g/m ² Tray1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Microsoft® Windows ⁹ 11, 10, 7 SP1: 32-bit of 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB H0; Internet required; Linux(Formore information, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows: Microsoft® Windows ⁹ 11, 10, 7 SP1: 32-bit or 64-bit, 12, CB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB H0; Internet required; Linux(Formore information, see https://www.hpsmat.con/be-linux-imaging-and-printing) Windows: Microsoft® Windows ⁹ 11, 10, 7 SP1: 32-bit or 64-bit, i2 CB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge.<
Memory Media handling Number of paper trays Media types Media types Media handling Media handling Systems Minimum system requirements Software included Security management	Standard: 512 MB; Maximum: 512 MB Standard: 1; Maximum: 1 Main Tray Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Wildth 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(J/S); B6(J/S); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15 cm; JapanesePostcard (Double Japan Postcard Rotated; JapaneseEnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC5; EnvelopeC6; EnvelopeC1ADF: A4; UR; L6L Standard Input 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output: ray ADF: Standard, 50 sheets 60 to 163 g/m ² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard Windows 2: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows 2: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows 2: Up to 10 Maximum: Up to 150 sheets Windows 5: EnvelopeS: Up to 10 Maximum: Up to 150 sheets Microsoft® Internet required; Linux (For more information, seehttps://developers.hp.com/hp-linux-imaging-and-printing). Windows Server 2008 R2 64-bit; Windows Server 2018 R2 64-bit; Windows Server 2018 R2 64-bit; Windows Server 2018 R2 64-bit; Z 6B available hard disk; pace, Internet connection, Microsoft® Internet Explorer or Edge. Microsoft® Windows 11, 10, 7 591: 32-bitor 64-bit; Z 6B available hard disk; pace, Internet connection, Microsoft® Internet Explorer or Edge. Microsoft® Windows 51, 1, 0, 7 591: 32-bitor 64-bit; Z 6B available hard disk;
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management	Standard: 512 MB; Maximum: 512 MB Standard: 1; Maximum: 1 Main Tray Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Wildth 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(J/5); B6(J/S); Oficio (216x340); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15cm; JapanesePostcard, Double Japan Postcard Rolated; Japanese EnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC5; EnvelopeC6; EnvelopeC6; EnvelopeD1 ADF: A4, LTR; L6L Standard: Input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets 60 to 163 g/m ² Tray1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Microsoft® Windows ⁹ 11, 10, 7 SP1: 32-bit of 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB H0; Internet required; Linux(Formore information, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows: Microsoft® Windows ⁹ 11, 10, 7 SP1: 32-bit or 64-bit, 12, CB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB H0; Internet required; Linux(Formore information, see https://www.hpsmat.con/be-linux-imaging-and-printing) Windows: Microsoft® Windows ⁹ 11, 10, 7 SP1: 32-bit or 64-bit, i2 CB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge.<
Memory Media handling Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible network operating systems Minimum system requirements Software included Security management Printer management Drinter management Drinter management	Standard: 512 MB; Maximum: 512 MB Standard: 1: Maximum: 1 Main Tray Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5U(5); B6U(5); B6U(5); B6U(5); B6U(5); B10(195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; JapanesePostcard; Double Japan Postcard Rotated; JapaneseEnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC5; EnvelopeC6; EnvelopeDL ADF: A4; UR; LGL Standard Input 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets 60 to 163 g/m ² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit of 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required; Linux/Formore information, see https://developers.hp.com/hp-linux-imaging-and-printing] Windows: Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit; 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required; Linux/Formore information, see https://developers.hp.com/hp-linux-imaging-and-printing] Windows: Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit; 2 GB available hard disk space, Internet connection, Microsoft® Intows® Server 2008 R2 64-bit; Windows Server 2016 64-bit;
Memory Media handling Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D xH)	Standard: 512 MB; Maximum: 512 MB Standard: 1; Maximum: 1 Main Tray Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Wildth 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-P, A6, B5(J/5); B6(J/5); B6(J/5); Oficio (216x340); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15 cm; JapanesePostcard, Double Japan Postcard Rotated; JapaneseEnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC5; EnvelopeC6; EnvelopeC6; EnvelopeD1. ADF: A4, LTR; L6L Standard Input: 1 main tray; 250 sheets or 10 envelopes. Standard output: 150 sheets output: apaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC6;
Memory Media handling Number of paper trays Media types Media types Media handling Mutapacity Compatible operating systems Compatible operating systems Software included Security management Printer dimensions (W x D x H) Printer dimensions (W x D x H) Printer weight	Standard: 512 MB; Maximum: 512 MB Standard: 1; Maximum: 1 Main Tray Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(JI5); B6(JI5); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15 cm; JapanesePostcard (Double Japan Postcard Rotated; Japanese EnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC5; EnvelopeC6; EnvelopeDL ADF: A4; UR; L6L Standard Imput 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output: ay ADF: Standard, 50 sheets 60 to 163 g/m² Tray1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows ⁶ 11, 10, 7 SF1: 32-bit or 64-bit; GB avalablehard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Su; macOS v12 Monterey; 2 GB HD; Internet required; Linux-Formore information, see https://developers.hp.com/hp-linux-imaging-and-printing. Windows Server 2008 R2 64-bit; Windows Server 2008 R2 64-bit; Windows Server 2018 R2 64-bit; Windows Server 2018 R2 64-bit; Windows Server 2008 R2 64-bit;
Memory Media handling Number of paper trays Media types Media types Media size Media handling Media veight Input capacity Output capacity Compatible operating systems Compatible network operating systems Software included Security management Printer management Printer dimensions and weight Printer weight Operating environment	Standard: 512 MB;Maximum: 512 MB Standard: 1;Maximum: 1 Main Tray Paper (Cutsheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric) Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5/(J5); Oficio (216x340); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; JapanesePostcard; Double Japan Postcard Rotated; JapanesePostcard; S0 sheets Standard input 1 main tray; 250 sheets or 10 envelopes Standard output 1: 0 sheets Subjects output 1: 0 to 10.0 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 75 P1: 32-bit or 64-bit; 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required; Linux: Formore information, see https://divedopers.hp.com/hp-linux-imaging-and-printing) Windows Sever 2008 R2 G4-bit; Windows Sever 2008 R2 G4-bit; Windows Sever 2012 G4-
Memory Media handling Number of paper trays Media types Media types Media types Media handling Media weight Input capacity Output capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer weight Operating environment Storage conditions	Standard: 512 MB; Maximum: 512 MB Standard: 1: (Maximum: 1 Main Tray Paper (Cutsheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(J5); B6(J5); B6(J5); B6(J5); B6(J5); B6(J5); S6(J5); B6(J5); S6(J5); S6(J5
Memory Media handling Number of paper trays Media types Media types Media size Media handling Media veight Input capacity Output capacity Compatible operating systems Compatible network operating systems Software included Security management Printer management Printer dimensions and weight Printer weight Operating environment	Standard: 512 MB; Maximum; 512 MB Standard: 1: Maximum; 11 Main Tray Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Cutsom (metric): With 76 to 216 mm; Length 127 to 356mm Supported (metric). A4, A5, A5-R; A6, B5(JS); B6(JS); Dicio (216X40); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L5X13 cm; 10x15cm; JapanesePostcard; Double Japan Postcard Rotated; JapaneseEnvelope(hou #3; JapaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC5; EnvelopeC6; EnvelopeD, ADF; A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF; Standard, 50 sheets 60 to 163 g/m ² Tray 1:5 heets: up to 250; Envelopes: up to 10 Maximum; Up to 250 sheets ADF; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum; Up to 150 sheets Microsoft® Windows 91 1, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur macOS v12 Montersy; 2 GBH0; Internet required; Linux Lifor more information, seethtry:// Bevelopers.bit, com/hp-Linux-maging-and-printing) Windows: Server 2008 R2 64-bit, Windows: Server 2018 R2 64-bit, EVP1), Windows: Server 2012 R2 64-bit, Windows: Server 2016 64-bit, Linux-Formore information see http://developers.bit.orm/hp-Linux-maging-and-printing. Windows: Microsoft® Windows *11, 10, 7 SP1: 32-bit of 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Mac: Apple® macOS v10.15 Catalina, macOS v11 Big Sur macOS v12 Big Sur macOS v12 Big Sur macOS v12 Big Sur macOS v12 Big Sur macOS v13 Big Sur mac
Memory Media handling Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer weight Operating environment Storage conditions	Standard: 512 MB; Maximum: 512 MB Standard: 1: (Maximum: 1 Main Tray Paper (Cutsheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(J5); B6(J5); B6(J5); B6(J5); B1(J5); 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9X13 cm; 10X15cm; Japanesepstcard; DoubleJapan Postcard Rotated; JapaneseEnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeC5; EnvelopeC5; EnvelopeD1.ADF: A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets 60 to 163 g/m² Tray 1:Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets: Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows [®] 11, 10, 7 SP1: 32-bit or64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Suc macOS v12 Montew; 2 GB HD: Internet required; Linux (Form orie Information, seeht; JBC explose) Windows Sever 2008 R2 64-bit, Windows Sever 2012 64-bit, Windows Sever 2012 R2 64-bit, Windows Sever 2016 64-bit, Linux- Formoreinformation see http://developers.bit.com/b-linux-imaging-and-printing) Windows: Microsoft® Windows [®] 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB availablehard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Mac: Apple® macOS v10.15 Catalina, macOS v11 Big Suc macOS v12 Monterey; 2 GB HD; Internet required; Linux- Formoreinformation see http://developers.bit.com/hD,-linux-imaging-and-printing W
Memory Media handling Number of paper trays Media types Media handling Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Software included Security management Printer weight Dimensions and weight Printer weight Operating environment Storage conditions Acoustics	Standard: 512 MB; Maximum: 512 MB Standard: 1; Maximum: 1 Main Tray Paper (Cutsheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (meth2): With 76 to 216 mm; Length 127 to 356 mm Supported (meth2): A4, A5, A5-R, A6, B5U(5); B6U(3); Oficio (216x340); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x113 cm; 10x150cd, 2016x340); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x113 cm; 10x150cd, 2016x340; Database Envelope: Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output 150 sheets output tray ADF. Standard, 50 sheets 6010 163 g/m ² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 250 sheets ADF; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 250 sheets ADF; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 250 sheets ADF; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 250 sheets ADF; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 250 sheets ADF; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 250 sheets ADF; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 250 sheets ADF; Standard, 50 sheets Standard: Up to 150 Sheets Envelopes: Up to 10 Maximum: Up to 250 sheets ADF; Standard, 50 sheets Standard: Up to 150 Sheets Envelopes: Up to 10 Maximum: Up to 250 sheets ADF; Standa
Memory Media handling Number of paper trays Media types Media size Media handling Media keight Input capacity Output capacity Compatible operating systems Compatible network operating systems Software included Security management Printer management Printer manage ment Operating environment Storage conditions Acoustics	Standard: 512 M8; Maximum: 512 M8 Standard: 512 M8; Maximum: 1 Man Tray Paper (Cutshees, plan, glossy film, labels), envelopes, card stock, postcards Cutsion (metk), Widin 75 to 216 mm; Length 127 to 356mm Supported (metk) A4, A5, A5-R, A6, B5U(5); B6U(15); 0fcio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); 19x13 cm; 10x15 cm; JapanesePostcard; Double Japan Postcard Rotated; JapaneseEnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeC5; EnvelopeC6; EnvelopeC6; EnvelopeD40P4 A4; UR; 16L Standard Divut T main tray; 250 sheets or 10 envelopes Standard output 150 sheets output tray ADP: Standard, 50 sheets Standard Divo To 50 sheets Envelopes; Up to 10 Maximum: Up to 250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes; Up to 10 Maximum; Up to 250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes; Up to 10 Maximum; Up to 150 sheets Mintorey; 26 dBPb, Intert enceptic: Linux Form reinformation, sheet to 2016 f4-bit, Unix maging-and-pinting) Windows Sever 2008 R2 64-bit, Windows Sever 2012 64-bit, Windows Sever 2012 R2 64-bit, Windows Sever 2016 F64-bit, Linux-Form oreinformation see http://kevelopes.htp.com/hp-Linux-maging-and-pinting) Windows Mindows 411, 10, 75P1-32-bit of 64-bit, 26 analabi Pard diks pare, Internet connection, Microsoft® Internet Explorer or Edge. Windows Sever 2008 R2 64-bit, Windows 5000 R2 64-bit, S0 Mantere; 26 BHb, Internet regular, and 20 Vit 18 GL, and 20 Vit 18 GL, and and 20 Vit 18 GL, and and 20 Vi
Memory Media handling Number of paper trays Media types Media types Media ske Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible operating systems Software included Securitymanagement Printer dimensions (W x D x H) Printer dimensions (W x D x H) Printer dimensions Acoustics Power	Standard: 1: Maximum: 11 Man Tray Page (Cutsheets, plan, glossylfm, labels), envelopes, card stock, postcards Custom (metrix): With 76 to 156 mm, Length 127 to 356mm Supported (metric), A4, A5, A5-R, A6, B5(U5): B6(U5): Oficio (216x340); 16K (195 x270 mm); 16K (195 x270 mm); 16K (195 x270 mm); 16K (197 x273 mm); 19313 Cmis (Di Not): With 76 to 156 mm, Length 127 to 356mm Supported (metric), A4, A5, A5-R, A6, B5(U5): B6(U5): Oficio (216x340); 16K (195 x270 mm); 16K (195 x270 mm); 16K (197 x273 mm); 19313 Standard: Dut 1 man tray, 200 sheets or 10 envelope Standard output 150 sheets soutput ruly ADF. Standard, 50 sheets Standard: Dut 1 man tray, 200 sheets or 10 envelope Standard output 150 sheets aDF. Standard, 50 sheets Standard: Dut 0 250: Envelope: Lip to 10 Maximum: Dp to 150 sheets Standard: Dip to 250: Envelope: Lip to 10 Maximum: Dp to 150 sheets Microsoft® Windows*11, 10, 75P1: 32-bit of 64-bit, 26B available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Windows: Sever 2008 R2 64-bit, Windows Sever 2008 R2 64-bit, C4B available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Windows: Microsoft® Windows*11, 10, 75P1: 32-bit of 64-bit, 26B available hard disk space, Internet connection, Microsoft® Internet Explore or Edge. Windows: Nicrosoft® Windows*11, 10, 75P1: 32-bit of 64-bit, 26B available hard disk space, Internet connection, Microsoft® Internet Explore or Edge. Windows: Microsoft® Windows*11, 10, 75P1: 32-bit of 64-bit, 26B available hard disk space, In
Memory Media handling Number of paper trays Media types Media types Media handling Media types Media weight Input capacity Output capacity Compatible operating systems Compatible operating systems Software included Security management Printer weight Operating environment Storage conditions Acoustics Power Certifications Sustainable impact specifications	Standard: 11: Maxhum: 1 Man Tray Paper (Lutshets, plan, glossylfm, labels), envelopes, card stock, postcards Custom (metric): Width 76: 01: 50: 50: 50: 50: 50: 50: 50: 50: 50: 50
Memory Media handling Number of paper trays Media handling Media size Media handling Media keight Input capacity Compatible operating systems Compatible network operating systems Software included Security management Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Accustics Power Sustainable impact specifications Country of origin	Standard: S12 M8; Maximum: S12 M8 Standard: 1: Maximum: 1 Main Tray Page (Clusteers, plan, glossylim, labels), envelopes, card stock, postcard's Custom metry: With 76 to 21 Bits min; length 127 to 356mm Supported (metric): Aq, AS, AS-R, AG, BSU(B); B6(US); Olicio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 Constom metry: With 76 to 21 Bits min; length 127 to 356mm Supported (metric): Aq, AS, AS-R, AG, BSU(B); B6(US); Olicio (216x340); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 Standard Duck Timan tray; 250 bits of to velopes; Standard output: JSO sheets subtry: JSO sheets Standard Duck Timan tray; 250 bits of velopes; Standard output: JSO sheets subtry: JSO sheets Wincosel®*Windows*11, 10, 7591: 32-bard r6-bb, JK, Bodepers, PL, compto-Inux: maging-and-printing) Windows Stever 2008 R2 6-bb; KIV, Midows Stever 2012 64-bb; Windows Stever 2012 R2 6-bb; KINdows Stever 2016 64-bb; Linux: Formore Information see http:///Breedpers.hp.com/hp-inux: maging-and-printing) Windows Stever 2008 R2 6-bb; KIV, Midows Stever 2012 64-bb; Windows Stever 2016 64-bb; Linux: Formore Information see http:///Breedpers.hp.com/hp-inux: maging-and-printing) Windows Stever 2018 R2 - bb; KIV, Midows Stever 2012 64-bb; Windows Stever 2016 R2 -bb; KIV, Midows Stever 2016 R2 -bb; KIV, Mid

Data sheet | HP LaserJet Pro MFP 3102fdw Printer

Footnotes

¹ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

² Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required; subscription may not be available in all countries. See details at www.hpsmart.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only. For more information, see www.hpsmart.com

³ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.

⁴ Easy set up and manage - Requires use of Smart Admin Dashboard for printer setup and onboarding of users

⁵ Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps). Internet access required and must be purchased separately

⁶ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.

⁷ Program availability varies. For details, see www.hp.com/recycle

⁸ Automatic delivery and consolidated bill: Printers require direct connection to the Internet for program participation. Internet access sold separately.

⁹ Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.

¹⁰ Never run out: Based on plan usage, Internet connection to eligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area

¹¹ Change or cancel: Change or cancel your plan at any time online. If you decide to cancel your HP Instant Ink you can go back to using HP original Standard or XL cartridges. Plan upgrades are effective immediately and the charges will be applied retrospectively or in the next billing cycle, depending on user choice. Plan downgrades and cancellations are effective after the last day of the current billing period. For full details go to hpinstantink.com/terms

Technical specifications disclaimers

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

³ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

⁴ Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory. ⁵ For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.



© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ch-en November 2022

