HP LaserJet Pro MFP 4102fdn Printer



Get blazing fast printing speeds, high-volume scanning, and easy management with LaserJet Pro.

This printer is built for maximum productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.





This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

Highlights

- Instant Ink for Laser available
- HP Wolf Pro security
- Automatic two-sided printing standard
- Fast print speed (40 ppm A4)
- High monthly duty cycle (80,000 pages)
- 50 sheet ADF with single-pass, two-sided scanning

















Maximum productivity.

- Support your dynamic workteam with this high-speed smart printer, ideal for up to 10 users.
- Step up your workflow with HP Pro-class maximum print speed to meet high-demand environments.
- Scan both sides with a single pass. Dual-sided scanning allows your users to get more done in less time.
- Get productivity in the palm of your hand. Print, scan and get time-saving Shortcuts with HP Smart app. ²

Seamless management.

- Centralise print management for your enterprise. HP Web Jetadmin makes it easy with its suite
 of features. ⁴
- Set up your printers quickly wherever work happens. Cloud connectivity makes it easy for your IT team.
- Access your printers from a single dashboard. Smart Admin guides you through setup and gives
 IT visibility.³

HP Wolf Pro Security.

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Set up your printer security from the dashboard. Smart Admin makes IT configuration and monitoring easy. $^{\rm 3}$
- $\bullet \quad \mathsf{Add} \ \mathsf{a} \ \mathsf{layer} \ \mathsf{of} \ \mathsf{security}. \ \mathsf{PIN/pull} \ \mathsf{option} \ \mathsf{authenticates} \ \mathsf{your} \ \mathsf{print} \ \mathsf{jobs} \ \mathsf{only} \ \mathsf{when} \ \mathsf{you're} \ \mathsf{present}.$
- Set configuration policies and validate settings universally with HP Security Manager.⁶

Hassle-free supplies management with Instant Ink.

- Enroll to save on Original HP Toner with Instant Ink. Get toner, delivery and recycling. ^{6,7,8}
- Never run out of toner with Instant Ink for laser.⁹
- With Instant Ink, get toner automatically delivered to workers or offices all on one consolidated bill.⁸
- With Instant Ink, you get to select the right plans for each of your printers. Change or cancel at any time. 10

Product walkaround

- 1. Designed for workteams of up to 10 users
- 2. Pre-configured security settings
- 3. Walk-up USB
- 4. Automatic 2-sided printing
- 5. Hi-speed USB ports, built-in Gigabit Ethernet
- 6. Print speeds up to 40 ppm (A4), 350-sheet standard paper capacity



Accessories, Supplies and Support

Supplies	
Service and Support	U42TZE - HP 3 year Next Business Day Service for LaserJet Pro MFP 410x U42U8PE - HP 1 year Post Warranty Next Business Day Service for LaserJet Pro MFP 410x

Technical specifications

Model	HP LaserJet Pro MFP 4102fdn Printer
Productnumber	2Z623F
Functions	Print, copy, scan, fax
Control panel	2-lineLCD; OK button; Left button; Right button; Cancel button; Backbutton; Ready LED; Error LED; Wi-FiLED (only for wireless bundle)
Print	
Print technology	Laser Black (A4, normal): Up to 40 ppm; Black (A4, duplex): Up to 34 ipm
Print speed ¹ First page out ²	Black (Ar, normal), up to 40 ppm, black (vr., duplex), up to 34 ppm Black (Ar, duplex), As fast as 6.3 see; Black (Ar, sleep), As fast as 8.8 sec
Printresolution	Black(best): FineLines (1200 x 1200 dpt): Technology: ForeIndex (1200 x 1200 d
Monthly duty cycle	Up to 80,000 pages A4; Recommended monthly page volume 7501 4,000
Printer smart software features ³	Auto duplex and booklet printing, N-up printing, collation, watermarks, install printer driver only, Economode for toner savings, accepts a variety of paper sizes and types
Standard print languages	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, Native Office, PWG Raster
Fonts and typefaces	84 scalable TrueType fonts
Print area	Printmargins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 207.4 x 347.1 mm
Duplex printing	Automatic (default)
Сору	
Copyspeed	Black(A4): Up to 38 cpm
Copierspecifications	DCopy; Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Quality (Draft/Normal/Best); Save Current Settings; Restore Factory Defaults; Maximum number of copies: Up to 9995 copies; Reduce/Enlarge 25 to 400%
Scan	Tuesdy actually, relevant territorial of a 355 copies, relevant mage 15 to 100%
Scan speed ⁴	Normal (A4): Up to 29 ppm/46 ipm (b&w), up to 20 ppm/34 ipm (color); Duplex (A4): Up to 46 ipm (b&w), up to 34 ipm (color)
S can file format	PDF, JPG, TIFF
Scannerspecifications	Scanner type Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes. Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WA; Twain version:
	Version 2.3; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 216 x 297 mm; Optical scan resolution: Up to 1200 x 1200 dpi
Scanner advanced features	Copy preview
Recommended monthly scan volume	750 to 4000
S can nable area	Maximum mediasize(flatbed): 216 x 297 mm; Minimum mediasize(ADF): 102 x 152 mm Maximum mediasize(ADF): 216 x 356 mm
Bit depth/Grey scale levels	24-bit/256
Fax	
Fax	Yes, 33.6 kbps
Fax specifications	Faxmemory. Up to 400 pages; Faxresolution: Standard: 203 x 98 dpt; Fine: Up to 203 x 196 dpt; Superfine: Up to 300 x 300 dpt; Quick dialing: Up to 200 numbers
Fax smart software features	Auto fax reduction; Auto redialing; Delayed sending; Fax forwarding; TAM interface; Junk barrier; Distinctivering detection; Cover page; Block fax; Billing codes; Save and load; Fax activity reports; Dial prefix setting; Print fax log; IP Digital Fax.
Processorspeed	1200 MHz
Connectivity	
Standard	1 Hi-Speed USB 2.0; 1 rearhost USB; 1 Front USB port; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE)
Mobile printing capability	Apple AirPrint™; Mopria™ Certified
Supported network protocols	TCP/IP, IPv4, Pv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Apple AirPrint™, Mopria, IPP Print; Discovery; SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP,
	Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download
Network capabilities	Yes, viabuit-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X
Hard disk	No.
Hard disk Memory	
Hard disk	No.
Hard disk Memory Media handling	No Standard: 512 MB; Maximum: 512 MB
Hard disk Memory Mediahandling Number of paper trays	No Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3
Hard disk Memory Media handling Number of paper trays Media types	No Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcotEFFICENT, Light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JS); Officio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); 10, planese Postcard; Double Japan Postcard Rotated; Envelope#10; EnvelopeBS; EnvelopeE5; En
Hard disk Memory Media handling Number of paper trays Media types Media size	Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain; EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2 x 127 to 215, 9 x 355, 6 mm; Tray 2, 3: 104, 9 x 148, 59 to 215, 9 x 355, 6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JB); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope Pola; Envelope Pola; Eustom Size; 45K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Custom Size; 45 En; 42 Kin; 5 XB in; Standard (197 x 273 mm); Custom Size; A5-R; 4 x 6 in; B6 (JIS) ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 336 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF. Standard, 50 sheets Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m²
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media handling Media weight Input capacity	Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2 x 127 to 215, 9 x 355.6 mm; Tray 2, 3: 104, 9 x 148.59 to 215, 9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcard (bouble Japan Postcard Rotated; Envelope #10; Envelope B5; Envelope B5; Envelope C5; Envelope D1; Custom Size, 4 x 6 in; 58 bills; Statement; Tray 2 x 375 mm; A5; A6; B5 (JS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size, 4 x 6 in; 86 bills; A9 bills; A4; custom sizes 102 x 152 to 215x 336 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Maximum: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF; Standard, 50 sheets Tray 1: Sheets: 100; Envelopes: 10 Tray 2; Sheets: 250 Tray 3; Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF; Standard, 50 sheets
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media handling Media wight hput capacity Output capacity Output capacity	Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2 x 1 27 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: 76, 2 x 1 27 mm; lapanese Postcard; bouble Japan Postcard Rotated; Envelope Plot; Envelope Plot; Custom Sze; 4 x 6 in; 5 x 8 in; 5 tatement; Tray 2: 4 x 6 in; 15 k (197 x 273 mm); Japanese Postcard; bouble Japan Postcard Rotated; Envelope Plot; Envelope Plot; Custom Sze; 4 x 6 in; 5 x 8 in; 5 tatement; Tray 2: 4 x 7 x 3: 4 x 4; 45; 46; 15 UIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Sze; 4 x 6 in; 86 UIS) ADF: Letter; Legal; 44; custom szes 102 x 152 to 216 x 356 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional third 550-sheet tray ADF: Standard, 50 sheets Tray 1: 56 to 2 00; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media size Media handling Media weight Input capacity Output capacity Compatible operating systems	Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2 x 1 27 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: 74; 34; 36; 36; 35; 36; 36; 36; 36; 36; 36; 36; 36; 36; 36
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media handling Media wight hput capacity Output capacity Output capacity	Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2 x 1 27 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: 76, 2 x 1 27 mm; lapanese Postcard; bouble Japan Postcard Rotated; Envelope Plot; Envelope Plot; Custom Sze; 4 x 6 in; 5 x 8 in; 5 tatement; Tray 2: 4 x 6 in; 15 k (197 x 273 mm); Japanese Postcard; bouble Japan Postcard Rotated; Envelope Plot; Envelope Plot; Custom Sze; 4 x 6 in; 5 x 8 in; 5 tatement; Tray 2: 4 x 7 x 3: 4 x 4; 45; 46; 15 UIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Sze; 4 x 6 in; 86 UIS) ADF: Letter; Legal; 44; custom szes 102 x 152 to 216 x 356 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional third 550-sheet tray ADF: Standard, 50 sheets Tray 1: 56 to 2 00; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets
Hard disk Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems	Standard: 2; Maximum: 3 Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 21.5 9 x 355.6 mm; Tray 2, 3: 10.4 9 x 148.59 to 21.5 9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (J5); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (195 x 27
Hard disk Memory Media handling Number of paper trays Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray1: 76, 2×127 to 215; 9×355.6 mm; Tray2, 3: 104.9×148.59 to 215.9×355.6 mm Supported (metric): Tray1: A4; A5; A6; B5 (JS): Officio (216×340 mm); 16K (195×270 mm); 16K (184×260 mm); 16K (197×273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope Honard; Envelope B5; Envelope C5; Envelope D6; Custom Stze, 4 x 6 in; 5 x 8 in; Statement; Tray2 3: A4; A5; A6; B5 (JS): Officio (216×340 mm); 16K (195×270 mm); 16K (184×260 mm); 16K (197×273 mm); Custom Stze, A5-R; 4 x 6 in; B6 (JS) ADF. Letter; Legal; A4; custom stzes 102 x 152 to 216x 336 mm Standard input: 100-sheet tray1, 250-sheet input tray2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional Input: Optional S50-sheet tray3 dDF; Standard, 50 sheets 100; Envelopes: 10 Tray2; Sheets: 250 Tray3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; IOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS Windows 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Max: 268 available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com;
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Standard: 512 MB; Maximum: 512 MB Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JI5): Officio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope B1; Envelope B2;
Hard disk Memory Media handling Number of paper trays Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray1: 76, 2×127 to 215; 9×355.6 mm; Tray2, 3: 104.9×148.59 to 215.9×355.6 mm Supported (metric): Tray1: A4; A5; A6; B5 (JS): Officio (216×340 mm); 16K (195×270 mm); 16K (184×260 mm); 16K (197×273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope Honard; Envelope B5; Envelope C5; Envelope D6; Custom Stze, 4 x 6 in; 5 x 8 in; Statement; Tray2 3: A4; A5; A6; B5 (JS): Officio (216×340 mm); 16K (195×270 mm); 16K (184×260 mm); 16K (197×273 mm); Custom Stze, A5-R; 4 x 6 in; B6 (JS) ADF. Letter; Legal; A4; custom stzes 102 x 152 to 216x 336 mm Standard input: 100-sheet tray1, 250-sheet input tray2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional Input: Optional S50-sheet tray3 dDF; Standard, 50 sheets 100; Envelopes: 10 Tray2; Sheets: 250 Tray3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; IOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS Windows 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Max: 268 available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com;
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Standard: 5:12 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2; 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JS); Officio (216 x 340 mm); 16K (195 x 270 mm); 136 x 120 x 260 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope Polis, Envelope Polis, Envelope Polis; E
Hard disk Memory Media handling Number of paper trays Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management	Standard: 5:12 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2; 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JS); Officio (216 x 340 mm); 16K (195 x 270 mm); 136 x 120 x 260 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope Polis, Envelope Polis, Envelope Polis; E
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media size Media weight Input capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight	Standard: 512 MB; Maximum: 3 Paper (plain, EcoEFFCIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray1: 76, 2x127 to 215,9 x355,6 mm; Tray2,3: 104.9 x148.59 to 215.9 x355,6 mm Supported (metric): Tray1: A4; A5; A6; B5 (J5); Oficio (216 x340 mm); 16K (195 x270 mm); 16K (195 x270 mm); 16K (195 x270 mm); 16K (195 x273 mm); 100,000 mm); 16K (195 x270 mm)
Hard disk Memory Mediahandling Number of paper trays Media types Media handling Media kize Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	Standard: 512 MB; Maximum: 3 Paper (plain, EcoEFFCIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metrix): Tray 1: 76, 2 x127 to 215, 9 x355, 6 mm; Tray 2, 3: 104, 9 x148, 59 to 215, 9 x355, 6 mm Supported (metrix): Tray 1: 44; A5; A6; B5 (JIS); Oficio (216 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); 16K (197 x273 mm); 16K (195 x270 mm); 16K (197 x273 mm);
Hard disk Memory Mediahandling Number of paper trays Media types Mediahandling Mediakize Mediahandling Mediaweight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer weight Operating environment Storage conditions	Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB; Max
Hard disk Memory Mediahandling Number of paper trays Media types Media handling Media kize Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	Standard: 512 MB;Maximum: 512 MB Standard: 512 MB;Maximum: 512
Hard disk Memory Mediahandling Number of paper trays Media types Mediahandling Mediaweight Input capacity Output capacity Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics Power	Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB; Max
Hard disk Memory Mediahandling Number of paper trays Mediahandling Softwareinclude Printer dimensions with a printer dimensions (W x D x H) Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics	Sizendard: 5:12 MB; Maximum: 5 Sizendard: 2:Maximum: 5 Sizendard: 2:Maximum: 5 Sizendard: 2:Maximum: 5 Paper (plan, EcoEFFCERT), light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (merk): Tray 1: 76, 2: 12 7 to 215.9 x 355.5 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.5 mm Supported (merk): Tray 1: A4; A5; A6; B5 US); Ofice (2: 16 x 340 mm); 16K (195 x 270 mm)
Hard disk Memory Mediahandling Number of paper trays Media types Mediahandling Mediaweight Input capacity Output capacity Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics Power	Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 512 MB; Maximum: 512 MB Paper (plan, EccEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels: Custom (metric): Tray 1: 76, 2×127 to 215.9 x355.6 mm; Tray 2, 3: 104.9 x148.59 to 215.9 x355.6 mm Supported (metric): Tray 1: A4; A5; A6; BS (US); Offico (216 x340 mm); 16K (195 x270
Hard disk Memory Media handling Number of paper trays Media handling Media keybes Media handling Media weight Input capacity Output capacity Compatble operating systems Compatble operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology	Standard: 2; Maximum: 3 Paper (plan; EcoEFFEENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray: 17.6; 2×12.7 to 21.5; 9×35.5; 6 mm; Tray: 2, 3: 10.4 9×148.5; 91.21.5; 9×35.5; 6 mm Supported (metric): Tray: 17.6; 2×12.7 to 21.5; 9×35.5; 6 mm; Tray: 2, 3: 10.4 9×148.5; 91.21.5; 9×35.5; 6 mm Supported (metric): Tray: 17.6; 2×12.7 to 21.5; 9×35.5; 6 mm; Tray: 2, 3: 10.4 9×148.5; 91.21.5; 9×35.5; 6 mm Supported (metric): Tray: 17.6; 2×12.7 to 21.5; 9×35.5; 6 mm; Tray: 2, 3: 10.4 9×148.5; 91.21.5; 9×35.5; 6 mm Supported (metric): Tray: 15.6; 91.5; 0 mm; 16.6; 10.9; 6 mm; 16.6; 10.9; 10
Hard disk Memory Mediahandling Number of paper trays Mediahandling Mediahandling Mediahandling Mediahandling Mediahandling Mediahandling Mediaweight Input capacity Output capacity Compatble operating systems Compatble network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications	Standard: 2: Maximum: 312 MB; Maximum: 512 MB Standard: 2: Maximum: 3 Paper (plan, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2; 3: 104.9 x 148.5 y 102.15.9 x 355.6 mm Supported (metric): Tray 1: 74.2 x 127 to 215.9 x 355.6 mm; Tray 2; 3: 104.9 x 148.5 y 102.15.9 x 355.6 mm Supported (metric): Tray 1: 74.2 x 127 to 215.9 x 355.6 mm; Tray 2; 3: 104.9 x 148.5 y 102.15.9 x 325.6 mm Supported (metric): Tray 1: 74.2 x 149.5 y 102.15 y 102.2 x 149.2 x 149.
Hard disk Memory Media handling Number of paper trays Media handling Media keybes Media handling Media weight Input capacity Output capacity Output capacity Compatible operating systems Compatible network operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications	Standard: 2; Madmum: 512 MB Paper (plan; CooFFE ENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2x 1 27 to 2.15 9.3x 55, 6 mm; Tray, 2; 10.4 9.x 148, 590 215, 9.x 35.5 6 mm Supported (metric): Tray 1: 74, 2x 1 27 to 2.15 9.3x 55, 6 mm; Tray, 2; 10.4 9.x 148, 590 215, 9.x 35.5 6 mm Supported (metric): Tray 1: 74, 2x 1 27 to 2.15 9.3x 55, 6 mm; Tray, 2; 10.4 9.x 148, 590 215, 9.x 35.5 6 mm Supported (metric): Tray 1: 74, 2x 1 27 to 2.15 9.x 35.5 6 mm; Tray, 2; 10.4 9.x 148, 590 215, 9.x 35.5 6 mm Supported (metric): Tray 1: 74, 2x 1 27 to 2.15 9.x 35.5 6 mm; Tray, 2; 10.4 9.x 148, 590 215, 9.x 35.5 6 mm Supported (metric): Tray 1: 74, 2x 1 27 to 2.15 9.x 35.5 6 mm; Tray, 2; 10.4 14, 2x 1 27 to 2.15 9.x 35.5 6 mm; Tray 1: 74, 2x 1 27 to 3.15 9.x 35.5 6 mm; Tray 1: 74, 2x 1 27 to 3.15 9.x 35.5 6 mm; Tray 1: 75 0.15 200 gim*; Tray 2: 0.0 sheet fourty 10.5 9.0 sheet fourty 10.0 sheet fou
Hard disk Memory Media handling Number of paper trays Media hypes Media handling Media keight Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impacts pecifications Country of origin	Standard: 1,52 MB, Maximum: 512 MB Paper (plan; CoEFFICENT, light, heavy, bond, cotored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 7,62 x1 27 to 215,93 x35.6 mm; Tray 2, 3: 10.4 yx 148,591 z 15,9 x35.6 mm Supported (metric): Tray 1: 7,62 x1 27 to 215,9 x35.6 mm; Tray 2, 3: 10.4 yx 148,591 z 15,9 x35.6 mm Supported (metric): Tray 1: 7,62 x1 27 to 215,9 x35.6 mm; Tray 2, 3: 10.4 yx 148,591 z 15,9 x35.6 mm Supported (metric): Tray 1: 7,62 x1 27 to 215,9 x35.6 mm; Tray 2, 3: 10.4 yx 148,591 z 15,9 x35.6 mm Supported (metric): Tray 1: 7,62 x1 27 to 215,9 x35.6 mm; Tray 2, 3: 10.4 yx 148,591 z 15,9 x35.6 mm Supported (metric): Tray 1: 6,6 to 15,0 thick (19 x 27 0 mm); 16K (19 x 27 0 mm

Footnotes

- ¹ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required; subscription may not be available in all countries. See details at www.hpsmart.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores.
- Easy setup and manage Requires use of Smart Admin Dashboard for printer setup and onboarding of users
- ⁴ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- ⁵ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.
 ⁶ Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.
- Save up to 50% on toner (mono) Based on monthly subscription cost of HP Instant Ink monochrome toner service 1,500 page plan without purchase of additional sets of pages compared to cost per page to print ISO/IEC 24711 pages on most in-class, traditional A4 monochrome toner cartridge printers < 494 and MFPs priced < 672 using original standard-capacity integrated cartridges (toner and drum in one cartridge). Average CPP per country used to determine percent savings claim versus CPP for HP Instant Ink. Sale prices not considered for this study. Printers which only use XL cartridges excluded due to non-standard hardware & supplies model. Keypoint Intelligence September 2021 study commissioned by HP, based on publicly available information as of August 18, 2021. Printers selected by market share in IDC Quarterly Hardcopy Peripherals Tracker – Final Historical 2021Q2. For details: www.keypointintelligence.com/HPInstantInk.
- ⁸ Automatic delivery and consolidated bill: Printers require direct connection to the Internet for program participation. Internet access sold separately
- 9 Never run out: Based on plan usage, Internet connection to eligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area.
- 10 Change or cancel: Change or cancel your plan at any time online. If you decide to cancel your HP Instant Ink you can go back to using HP original Standard or XL cartridges. Plan upgrades are effective immediately and the charges will be applied retrospectively or in the next billing cycle, depending on user choice. Plan downgrades and cancellations are effective after the last day of the current billing period. For full details go to hpinstantink.com/terms.

Technical specifications disclaimers

- 1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity
- ² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity.
 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁵ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- ⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel. Please be aware that HP Laser Jet Pro 4001 and MFP 4101 series products are ENERGY STAR 3.0 certified in the US and the functionally equivalent HP LaserJet Pro 4003 and MFP 4103 series meet ecolabel energy efficiency limits.
- For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.



www.blauer-engel.de/uz219















