

Acer B8-Serie

Acer B278Ubemiqprcuzx

The professional business monitor

The Acer B8 series embodies all the features that a professional workstation monitor must have. From the design that blends seamlessly into any work environment, to the ergonomic adjustment options, to the variety of ports - the B8 Series sets the standard.

The integrated brightness sensor automatically adjusts the brightness to the ambient brightness when needed. A proximity sensor detects when the user has moved away from the display and switches to Power Saving Mode after only a short time to save electricity costs. When the user returns, the display automatically turns on again.

Thanks to the optional USB Type-C docking solution, you can also control the entire peripherals (incl. Ethernet) via just one cable.



- Diagonal size: 68.6 cm (27.0 inches)
- Resolution (native): 614x383x93
- Response time: 4ms (G2G) ms
- Brightness: 350 cd/m²
- Signal input: 1x HDMI (2.0), 1x DP(1.2) + 1x DP-Output, (1x Type-C with 100W charging power), USB 3.2 x4 + USB-B (2up 4down), Audio Out, RJ45 + Webcam (Full HD) Microphone included



















Acer B278Ubemigprcuzx

SPECIFICATIONS







Technical Specifications

USB Type-C

68.6 cm (27.0 inches) Diagonal size Active display area (WxH) 597x336 mm Aspect ratio 16:9 Pixel pitch (PPI) 2560x1440 IPS Technology Panel type Response time 4ms (G2G) ms Brightness 350 cd/m² Backlight type LED

Acer CrystalBrite Nein, entspiegeltes Display

Viewing angle (h/v) CR>10:1 178/178° Viewing angle (h/v) CR>5:1 178/178° Static contrast ratio 1000:1 Dynamic contrast ratio 100M:1 Colors 16.7M 99% sRGB Colour space Speaker 2 x 2 watts

Signal input 1x HDMI (2.0), 1x DP(1.2) + 1x DP-Output, (1x Type-C with 100W charging power), USB 3.2

x4 + USB-B (2up 4down), Audio Out, RJ45 + Webcam (Full HD) Microphone included (1x Type-C with 100W charging power)

Chassis colour Black

Frequency (H/V) HDMI:30~140KHz / 48-75Hz, DP / Type-

C:140~140KHz / 48-75Hz

Refresh rate (max.) 75Hz Yes DisplayPort Yes VGA DVI USB 3.1 Type-C Yes USB Hub Yes Audio

Additional ports RJ45 + Webcam (Full HD) Microphone inclu-

ded

Power supply and consumption

Power supply Energy Efficiency Class Internal On-mode Power 26 kWh/1000h

HDR Energy Efficiency Class HDR On-mode Power 37 kWh/1000h Standby mode Power 0,5 W Off mode Power 0,3 W

ErgoStand

Tilt angle -5°~35° +/-60° Swivel angle 120 mm Height adjust range Pivot function 90° VESA wall mounting 100x100 mm

Norms and Standards

36 Months Carry In Warranty TCO, Windows 10 konform, EnergyStar Certification 30,000 Std. bei 25°C MTRF

Dimensions and weight

614x389-539x247 mm Dimension (WxHxD) 614x383x93 mm Dimension (W \times H \times D) 10,43 kg Weight (unpacked) 68x52.50x22.50 Package Dimensions Weight (packed) 13,07 kg 5,78 kg Weight w/o stand

Pallet qty and size ($H \times W \times D$) 32 Pcs (114x114x224 cm)

320 / 640 Container qty (20'/40')

Others

Kensington Security Slot Yes

Ordering Information

Model B278Ubemiqprcuzx Product line **B8** Series Part number UM.HB8EE.009 EAN 4711121236167

Package content 1x Acer B278U, quick start guide, warranty card, power cable, HDMI, Type-C and USB3.0

cable



Acer B278Ubemiqprcuzx

SPECIFICATIONS

Special features

Special features - Daisy Chain - PC Power On Feature - Inte-

grated KVM Switch

Quantum DotYesAcer VisionCareYesShading HoodYesKVM SwitchYesAcer Display Widget-

Due to our ongoing commitment to the continuous improvement of the quality of our products, this data sheet is subject to change without notice. Availability may vary from region to region. Acer is not responsible for any errors or omissions in the product descriptions. Copyright 2020 Acer Computer GmbH, Germany. All rights reserved. Acer and the Acer logo are registered trademarks of Acer Incorporated. Microsoft and Windows are registered trademarks of Microsoft Corporation. Intel and Pentium are registered trademarks of Intel Corporation. All other mentioned or otherwise recognizable trademarks, registered trademarks and/or service marks are the property of their respective owners. All prices quoted are recommended retail prices of the manufacturer