# HP E24u G5 FHD USB-C Monitor



# Simple, Powerful Connections

Intentionally crafted to deliver crisp visuals and personalized comfort, the HP E24u G5 FHD USB-C Monitor redefines flexibility and power, so there's nothing between you and your best. Stylishly designed with the planet in mind, this display is the perfect fit for both the office and home.



\*Product image may differ from actual product

## **Elevate your View**

 When the difference is in the details, this 60.5 cm(23.8-inch) diagonal FHD monitor displays the clarity you need to stay focused on the task at hand. With rich 99% sRGB color depth and IPS technology<sup>1</sup>, you'll see clear, vivid colors across wide viewing angles<sup>2</sup>. For even more productivity, expand your view by daisy chaining a second display.

## Bring Comfort to Work

When doing your best relies on feeling your best, it's easy to find all-day comfort with 4-way adjustability
optimized by the step-by-step Ergonomic Setup Guide in HP Display Center<sup>3</sup>. Help keep your eyes comfortable
with a monitor that comes with flicker-free technology, a 75Hz refresh rate<sup>1</sup>, and HP Eye Ease, an always-on, builtin low-blue light filter.

# Power Through Your Day

When you're working from home one day and the office the next, free yourself, your desk and your laptop from a
mess of cables by simply connecting one USB-C<sup>®</sup> cable that connects your display and all your accessories—
from webcam to keyboard—all while charging your laptop at 65W. To make your workday even easier, instantly
start up all your devices thanks to Single Power On<sup>4</sup> and secure a stable internet connection with RJ-45.

## Design that Inspires

• Spark joy on your desk and in the world with a monitor built around you. The elegant, efficient design and 3-sided micro-edge bezel elevate your office while maximizing space. Beyond the looks, feel good with a monitor that contains recycled plastics<sup>5</sup> and metals<sup>6</sup>. And customize your space to boost your productivity with the matching accessory ecosystem<sup>7</sup>.

# Featuring

#### Ergonomic Setup Guide

Achieve all-day comfort when you apply the best practices from the Ergonomic Setup Guide.<sup>3</sup>

#### Enhanced Viewing Comfort with HP Eye Ease

HP Eye Ease, an always-on, low-blue light filter, helps keep your eyes comfortable throughout the day by reducing blue light without impacting color--now enhanced with a 75Hz refresh rate.<sup>1</sup>

#### **IPS** Panel

No matter where you stand, IPS technology ensures image accuracy and consistency across wide, 178-degree horizontal and vertical viewing angles.

#### Daisy Chain a Second Monitor

Display even more with DisplayPort™ by daisy chaining a second monitor for the ultimate dual-display setup.

#### 99% sRGB Color Space

Ideal color reproduction with minimal effort.

#### Endless Adjustability

Work effortlessly with 4-way ergonomics that help keep your neck, shoulders, and back comfortable throughout the day. Customize pivot, tilt, 150 mm height adjust, and swivel settings to fit you, your desk, and your needs.

#### More Ports. More Flexibility.

More ports means more capabilities. With an HDMI, DisplayPort<sup>™</sup>, USB-C<sup>®</sup> plus 3 additional USB ports and 1 downstream 15W USB-C<sup>®</sup>, you can connect or charge multiple devices like a keyboard and mouse.<sup>8</sup>

#### USB-C<sup>®</sup> Connectivity

Keep your set-up simple and seamless with a display that has everything built in. Connect a keyboard and mouse to the ports on the back of this monitor and only one USB-C<sup>®</sup> cable to your notebook for data, video, and up to 65W of charging.

#### Dependable Internet Connectivity

High speed internet connection and remote IT manageability.<sup>9</sup>

#### Single Power On

Instantly turn on your display and laptop.<sup>4</sup>

#### HP Display Manager

HP Display Manager makes remote management of the monitor easy. Simplify deployment, asset tracking, and remotely control your monitor settings, like turning the power off.<sup>9</sup>

#### **HP Display Center**

Customize your display with easy, intuitive HP Display Center software.<sup>10</sup>

#### Effortless Joypad OSD Button

Easy on-screen display settings with the joypad OSD button.

#### 3-Sided Micro-Edge Bezel

Maximize your viewing area to see and do more.

#### Materials that Matter

This monitor's enclosure consists of 90% recycled and renewable material.<sup>5</sup>

#### Mindful Metals

Engineered to contain 30% recycled metals.<sup>11</sup>

#### Thoughtful Product Packaging

100% recyclable packaging that can stay out of landfills.<sup>12,13</sup>

#### Increased Energy Efficiency

Reaching highest energy-saving standards with an ENERGY STAR® rating and EPEAT® Registration.<sup>14,15</sup>

#### Matching Accessories

Customize your desk to fit your work needs with the matching accessory ecosystem.<sup>7</sup>

#### Boosted Manageability

With MAC address pass-through, PXE Boot, and Wake-on-LAN built in, easily manage your monitor fleet. Out-of-band manageability available with supported HP notebooks.<sup>16,17</sup>

# HP E24u G5 FHD USB-C Monitor Specifications Table







*Product image may differ from actual product	
Display size (diagonal, metric)	60.5 cm (23.8")
Display type	IPS
Panel Active Area	52.7 x 29.65 cm
Brightness	250 nits <sup>1</sup>
Contrast ratio	1000:1 <sup>1</sup>
Response Ratio	5ms GtG (with overdrive) <sup>1</sup>
Product colour	Black head, black and silver stand
Aspect ratio	16:9 <sup>1</sup>
Native resolution	FHD (1920 x 1080) <sup>1,2</sup>
Resolutions supported	640 × 480; 720 × 400; 800 × 600; 1024 × 768; 1280 × 720; 1280 × 800; 1280 × 1024; 1440 × 900; 1600 × 900; 1680 × 1050; 1920 × 1080
Display features	On-screen controls; Single Power ON; Anti-glare; Height Adjust/Tilt/Swivel/Pivot; HP Eye Ease
User controls	Management; Information; Exit; Input; Color; Image; Power; Menu; Brightness+
Ports and Connectors	USB Type-C® video input: 1 SuperSpeed USB Type-C® 5Gbps signaling rate (up to 65W USB Power Delivery, Alt Mode DisplayPort™ 1.2); 1 HDMI 1.4; 1 DisplayPort™ 1.2; 1 DisplayPort™ 1.2-out; 3 SuperSpeed USB Type-A 5Gbps signaling rate (1 charging); 1 RJ-45 (10/100/1000 Mbps); USB Type-C® data: 1 SuperSpeed USB Type-C® 5Gbps signaling rate (Up to 15W USB Power Delivery)
HDCP	Yes, DisplayPort™, HDMI and USB Type-C®
Environmental	Operating temperature: 5 to 35°C; Operating humidity: 20 to 80% RH;
Power	100 - 240 VAC 50/60 Hz
Power consumption	160 W (maximum), 23.5 W (typical), 0.5 W (standby)
Dimensions	53.94 x 4.7 x 32.26 cm (without hinge); 53.94 x 7.5 x 32.26 cm (with hinge) (without stand)
Weight	6 kg (with stand)
Physical security features	Security lock-ready <sup>12</sup>
Ecolabels	TCO Certified; EPEAT <sup>®</sup> registered <sup>4</sup> ; ENERGY STAR <sup>®</sup> certified
Certification and compliance	Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CECP; CEL; cTUVus; EAC; ENERGY STAR®; FCC; ISO 9241-307; KC/KCC; Korea MEPS (E- standby); Microsoft WHQL Certification; NOM; PSB; SEPA; TCO Certified; TCO Certified Edge; TUV-S; VCCI; Vietnam MEPS; WEEE; ISC; ICE; UAE; TGM; Ukraine certificates; NRCS; PSE; GS; Ukraine EE; TÜV Low Blue Light Hardware Solution certified
Sustainable impact specifications	Low Halogen; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; Contains ocean-bound recycled plastic; 85% ITE-derived closed loop plastic; At least 30% recycled metal <sup>5,6,7,8,9,10</sup>
What's in the box	Monitor; Warranty card; Quick Setup Poster; 1 USB Type-C $^{\circ}$ to Type-C cable; AC power cord $^{11}$
Pixels per inch (ppi)	93 ppi
Panel bit depth	8 bit (6 bit + FRC)
Vertical viewing angle	178°
Horizontal viewing angle	178°
Bezel	3-sided borderless
Swivel	±45°
Tilt	-5 to +23°
Pivot	±90°
Height adjustment range	150 mm
VESA mounting	100 mm x 100 mm
Hardness	3H
Screen treatment	Anti-glare
Flicker-free	Yes
Low blue light modes	Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)
Display scan frequency (vertical)	50-75 Hz
Display scan frequency (horizontal)	30-86 KHz
Pixel pitch	0.27 x 0.27 mm
Display colors	Up to 16.7 million colors supported <sup>3</sup>
Display Color Gamut	99% sRGB
Management software	HP Display Center; HP Display Manager <sup>13</sup>
5	Through HP Display Manager; In-Band MAC Address Pass Through (MAPT); Out-of-Band MAC Address Pass Through (MAPT); In-Band Wake on
Remote manageability	LAN (WoL); Out-of-Band Wake on LAN (WoL); PXE Boot <sup>14,15</sup>

# HP E24u G5 FHD USB-C Monitor

# Accessories and services (not included)



# HP E24u G5 FHD USB-C Monitor

#### Messaging Footnotes

All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.
 <sup>4</sup> All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.
 <sup>5</sup> Aroga constructed colors compared to 72% NTSC.
 <sup>3</sup> Ergonomic Setup Guide is available through HP Display Center. Host PC requires Windows 10 or higher. HP Display Center is available on the Microsoft store.
 <sup>4</sup> Single Power on Only comparabile with HP DC swith Windows 10 or higher.
 <sup>5</sup> Recycled/Renewable materials madeup of 85% IT E, 4.5% Ocean Bound Plastics, and 0.5% coffee grounds. Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT® standard. HP defines renewable according to the Global Reporting Initiative Sustainability Reporting 5 tandards.
 <sup>6</sup> Consists of 30% recycled metals. Recycled metals. Recycled metals. Recycled metals. Recycled metals. Recycled metals acpresed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams.
 <sup>7</sup> Extended ecosystem sold separately.
 <sup>8</sup> AC Power cable and USB-C® 3.1 cable included. All other cables sold separately.
 <sup>9</sup> HP Display Manager software agent must be running on a web server and host PC. Some limitations may apply to legacy monitors.
 <sup>10</sup> Host PC requires Windows 10 or higher. HP Display Center is available on the Wicrosoft store.
 <sup>10</sup> Host PC requires Windows 10 or higher. HP Display Center is available on the Microsoft store.

<sup>14</sup> HostylC requires Windows 10 or higher. HP Display Center is available on the Microsoft store.
 <sup>12</sup> Recycled metal is expressed as a percentage of the total weight of the metal according to S0 14021 definitions for metal parts over 25 grams.
 <sup>12</sup> 100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. Excludes plastic bags and plastic foam sheeting.
 <sup>13</sup> Recycling facilities not available in all locations.
 <sup>14</sup> HP Sustainability Report 2020 and HP Displays Sustainability Story 2021.
 <sup>15</sup> Based on US EPEAT<sup>®</sup> registration according to EEE 1680.1-2020 EPEAT<sup>®</sup>. Status varies by country. Visit www.epeat.net for more information.

<sup>16</sup> Not all notebooks support remote manageability.
<sup>17</sup> Out-of-band manageability only available with HP G7, G8 and G9 HP notebooks and not supported on non-HP devices.

#### **Technical Specifications Footnotes**

<sup>1</sup> All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower. <sup>2</sup> DisplayPort<sup>™</sup> 1.2 or HDMI1.4 required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDML The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDML The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDML The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDML The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDML The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDML The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDML The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDML The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDML The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDML The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDML The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDML The video card of the connected PC must be capable of support 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDML The video card of the connected PC must be capable of support 1920 x

<sup>3</sup> Number of colors through A -FRC technology. <sup>4</sup> EPEAT<sup>®</sup> registered where applicable. EPEAT<sup>®</sup> registration varies by country. See www.epeat.net for registration status by country. Based on US EPEAT<sup>®</sup> registration according to EEE 1680.1-2018 EPEAT<sup>®</sup>. Status varies by country. Visit www.epeat.net for more information.

nore normation. <sup>6</sup> FEC benefore supplies, WWAN modules, power cords, cables, and peripherals excluded. Service parts obtained after purchase may not be Low Halogen. <sup>6</sup> IFE Derived Closed Loop Plastic percentage is based on the definition set in the EEE 1680.1-2018 standard. <sup>7</sup> All plastic parts contain ocean-bound plastic. Percentage of ocean-bound plastic contained in each component varies by product. <sup>8</sup> Recycled metal is expressed as a percentage of the total weigh to f the metal according to ISO 14021 definitions for metal parts over 25 grams.

<sup>9</sup> Index (cutoffield is expressed as a percentral get of units of an weight of interinetal according to 50 1402 relations to finite a previous and the previous an

#### Sign up for updates hp.com/go/getupdated

The product could differ from the images shown. © 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

DisplayPort™ is a trademark owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. ENERGY STAR® is a registered mark owned by the U.S. government December 2022