

PALIT® GEFORCE RTX 4070 SUPER

JETSTREAM OC



- Gale Hunter Fan
- Ultra-Wide Copper Base
- Anti-Gravity Plate
- Exquisite Metal Backplate
- 0-dB Technology





- Thicker and bigger size for strongest airflow.
- Winglet fantail causes airflow be concentrated and vortex effect can be avoided.
- Gale Talon design on fan blades brings air to the thermal module in a smooth and stable pattern.



GEFORCE RTX





Key Features

- Dedicated Ray Tracing Cores
- Dedicated Tensor Cores
- NVIDIA DLSS 3
- ☐ Game Ready and NVIDIA Studio Drivers
- NVIDIA® GeForce ExperienceTM
- NVIDIA Broadcast
- NVIDIA G-SYNC®
- NVIDIA GPU BoostTM
- GDDR6X Graphics Memory
- PCI Express® Gen 4
- Microsoft DirectX® 12 Ultimate
- □ Vulkan RT APIs, Vulkan 1.3, OpenGL 4.6
- **□** HDCP 2.3
- □ DisplayPort 1.4a, up to 4K at 240Hz or 8K at 60Hz with DSC, HDR
- As specified in HDMI 2.1a: up to 4K 240Hz or 8K 60Hz with DSC, Gaming VRR, HDR

Minimum System Requirements

- PCI Express-compliant motherboard with one tri-width x16
- 750 W or greater system power supply
- ☐ One 16-pin PCIe 12VHPWR or two 8-pin supplementary power connectors
- Microsoft Windows® 11, Windows® 10 64-bit, Linux 64-bit

~	Part Number	NED407ST19K9-1043J
	EAN Code	4710562244359
	GPU	GeForce RTX 4070 SUPER
	CUDA Core	7168
	Core Clock	1980 MHz
	Boost Clock	2640 MHz
	DRAM Type	GDDR6X
	DRAM Amount	12 GB
	DRAM Interface	192 bits
	DRAM Speed	21 Gbps
	DRAM Bandwidth	504 GB/s
	Board Power	245 W
	Output	DP 1.4a x 3 HDMI 2.1a x 1
	Bracket	2 slot
	Cooler	3.1 slot
	Board size	328.9 x 130.5 x 63.5 mm
	Box size	426.5 x 213.5 x 103.5 mm
	Retail Pack	5 pcs per carton
	Box including	GeForce RTX 4070 SUPER Power Cable

Product Specifications and Features are for reference only and are subject to change without prior notice.